

RAW DATA



Stem Cell and Cancer Research

Jalan Kol. R.W. Sugiarto, Nongkosawit, Gunungpati
Semarang, Jawa Tengah, Indonesia 50224
e-mail: contact@sccr.id, Phone : (+62) 811 3217 333, Website : www.sccr.id

HASIL ANALISIS

Nama Customer	: Dewi Atika Putri	Ulangan	: 6x
Jenis Sampel	: Jaringan Kulit (PCR)	Tanggal Pemeriksaan	: 7 Januari 2025
Kode Sampel	: K1, K2, K3, K4	Penanggungjawab	: Fikriya Novita
		Operator	: Mecca Muncar

Keratinocyte Growth Factor (KGF)

Kelompok	pg/mL
K1.1	1.05
K1.2	1.05
K1.3	1.03
K1.4	1.03
K1.5	1.01
K1.6	1.01
K2.1	0.24
K2.2	0.36
K2.3	0.19
K2.4	0.39
K2.5	0.40
K2.6	0.37
K3.1	0.61
K3.2	0.70
K3.3	0.67
K3.4	0.67
K3.5	0.65
K3.6	0.62
K4.1	0.99
K4.2	1.05
K4.3	0.86
K4.4	0.93
K4.5	0.83
K4.6	0.88

Platelet Derived Growth Factor (PDGF)

Kelompok	pg/mL
K1.1	1.05
K1.2	1.05
K1.3	1.03
K1.4	1.03
K1.5	1.01
K1.6	1.01
K2.1	0.26
K2.2	0.30
K2.3	0.29
K2.4	0.31
K2.5	0.37
K2.6	0.36
K3.1	0.75
K3.2	0.78
K3.3	0.61
K3.4	0.56
K3.5	0.50
K3.6	0.67
K4.1	0.98
K4.2	1.01
K4.3	0.93
K4.4	1.06
K4.5	0.88
K4.6	0.87

Descriptives

KGF

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
K2	6	.3235	.08823	.03602	.2309	.4161	.19	.40
K3	6	.6536	.03374	.01377	.6181	.6890	.61	.70
K4	6	.9222	.08405	.03431	.8340	1.0104	.83	1.05
Total	18	.6331	.26111	.06154	.5032	.7629	.19	1.05

Tests of Normality

Group	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
KGF K2	.337	6	.031	.808	6	.069
K3	.187	6	.200 [*]	.960	6	.822
K4	.212	6	.200 [*]	.940	6	.662

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variances

KGF

Levene Statistic	df1	df2	Sig.
3.667	2	15	.051

ANOVA

KGF

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1.079	2	.540	101.244	.000
Within Groups	.080	15	.005		
Total	1.159	17			

Multiple Comparisons

Dependent Variable: KGF

LSD

(I) Group	(J) Group	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
K2	K3	-.33006 [*]	.04215	.000	-.4199	-.2402
	K4	-.59870 [*]	.04215	.000	-.6885	-.5089
K3	K2	.33006 [*]	.04215	.000	.2402	.4199
	K4	-.26864 [*]	.04215	.000	-.3585	-.1788
K4	K2	.59870 [*]	.04215	.000	.5089	.6885
	K3	.26864 [*]	.04215	.000	.1788	.3585

*. The mean difference is significant at the 0.05 level.

Descriptives

PDGF

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
K2	6	.3161	.04130	.01686	.2727	.3594	.26	.37
K3	6	.6455	.10947	.04469	.5306	.7604	.50	.78
K4	6	.9550	.07476	.03052	.8765	1.0334	.87	1.06
Total	18	.6388	.27880	.06571	.5002	.7775	.26	1.06

Tests of Normality

Group		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
PDGF	K2	.225	6	.200 [*]	.929	6	.572
	K3	.173	6	.200 [*]	.953	6	.768
	K4	.175	6	.200 [*]	.943	6	.684

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Test of Homogeneity of Variances

PDGF

Levene Statistic	df1	df2	Sig.
3.581	2	15	.054

ANOVA

PDGF

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1.225	2	.613	95.315	.000
Within Groups	.096	15	.006		
Total	1.321	17			